Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: FUGABELLA ECO SPC PARTE A

- Article number: B0019.090

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the preparation: Polyurethane-sealent

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

KERAKOLL S.p.A. Via dell'Artigianato, 9

41049 Sassuolo (MODENA) ITALY

Tel. +39 0536 816511 Fax. +39 0536 816581

info@kerakoll.com

- E-mail address of the competent person responsible for the SDS: safety@kerakoll.com
- Informing department: Product safety department
- 1.4 Emergency telephone number:
- +441527578000 (Kerakoll UK)
- +39-0536-816511 (Kerakoll Italy)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

C12-C14 Glicidil-ether aliphatic

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P260 Do not breathe vapours.

(Contd. on page 2)

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

(Contd. of page 1)
Avoid release to the environment.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- 2.3 Other hazards

The product evidently does not contain any organically bonded halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- Results of PBT and vPvB assessment
- PBT: Not applicable.- vPvB: Not applicable.
 - **SECTION 3: Composition/information on ingredients**
- 3.2 Mixtures
- Description:

Adhesive.

Mixture consisting of the following components.

- Dangerous components:		
CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) Aquatic Chronic 2, H411; Skin Irrit. 2, H315;	5-9.9%
Reg.nr.: 01-2119456619-26-XXXX	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 68609-97-2 EINECS: 271-846-8 Index number: 603-103-00-4 Reg.nr.: 01-21194852289-22-XXXX	C12-C14 Glicidil-ether aliphatic Skin Irrit. 2, H315; Skin Sens. 1, H317	<2.5%

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information Take affected persons into the open air.
- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

- After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

Sickness

Allergic reactions

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

- FN

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents

Foam

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon monoxide (CO)

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

Put on breathing apparatus.

- Additional information

Cool endangered containers with water spray jet.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Use breathing protection against the effects of fumes/dust/aerosol.

Put on breathing apparatus.

- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Use only in well ventilated areas.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep breathing equipment ready.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Store only in unopened original containers.

- Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

(Contd. on page 4)

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

(Contd. of page 3)

- Further information about storage conditions:

Protect from frost.

Store container in a well ventilated position.

Keep container tightly sealed.

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Apply solvent resistant clothing before beginning work.

Do not eat, drink or smoke while working.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves.

- Material of gloves

Rubber gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed safety glasses.
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Pasty Colour: Grey

Odour: RecognisableOdour threshold: Not determined.

- **pH-value:** Not determined.

- Change in condition

Melting point/freezing point: Not determined

(Contd. on page 5)

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

	(Contd. of page
Initial boiling point and boiling range	e: 300 °C
- Flash point:	177 °C
- Inflammability (solid, gaseous)	Not applicable.
- Ignition temperature:	470 °C
- Decomposition temperature:	Not determined.
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not explosive.
 Critical values for explosion: Lower: Upper: 	Not determined. Not determined.
- Vapour pressure at 20 °C:	4 hPa
- Density at 20 °C - Relative density - Vapour density - Evaporation rate	1.82 g/cm³ Not determined. Not determined. Not determined.
- Solubility in / Miscibility with Water:	Soluble
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity: dynamic at 20 °C: kinematic: - 9.2 Other information	41,280 mPas Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Irritant gases/vapours

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h >359 mg/l (mouse)

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

Oral	LD50	15,000 mg/kg (mouse)
Dermal	LD50	23,000 mg/kg (RAB)

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

68609-97-2 C12-C14 Glicidil-ether aliphatic

Dermal LD50 >26,800 mg/kg (mouse)

- Primary irritant effect:

- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

CEr50 96h 40 mg/L (Alghe/piante acquatiche)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Waste disposal key number: 16 03 05* organic wastes containing dangerous substances
- Uncleaned packagings:
- Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

(Contd. on page 7)

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

(Contd. of page 6)

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information	1
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	The product is not dangerous according to ADR, ADN, IMDG, IATA. Void
	Void
- 14.2 UN proper shipping name- ADR, ADN, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
- ADR, ADN, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR, IMDG, IATA	Void
- 14.5 Environmental hazards: - Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
 Transport/Additional information: Custom heading: 	
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations

The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.

- Additional classification according to Decree on Hazardous Materials, Annex II: -
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

- Department issuing data specification sheet: SCP
- Contact: Dr. B. Brina c/o Kerakoll S.p.A. tel. +39-0536-816511 fax +39-0536-816581

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.09.2018 version n° 4 Revision: 27.09.2018

Trade name: FUGABELLA ECO SPC PARTE A

- Others regulations

The safety data sheet has been drawn up in accordance with European directives 1999/45/EC, 2001/58/EC, 2001/59/EC and 2001/60/EC.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

FΝ